

GSMK Overwatch® 360° Mobile Network Protection



# **GSMK Overwatch®**

GSMK Overwatch enables network operators and authorities to eliminate illegal use of IMSI catchers, network jamming actitivities and GNSS jamming and spoofing atacks, nationwide, 24/7/365.

### Regain Sovereignty over your Airspace.

Deployment of hostile base stations has become a common threat as costs and procurement hurdles have been continuously falling.

The GSMK Overwatch network security system is the world's first system capable of distributed detection, localization, alarming and neutralization of active attacks on mobile communications via the air interface.

Leveraging GSMK's patented Baseband Firewall technology, powerful stationary sensors can be combined with mobile sensors to permit comprehensive and cost-efficient detection of rogue base stations, including fake cell towers known as "IMSI catchers", as well as individual attacks carried out over the air interface.

The system integrates and synthesizes data from both types of sensors in a national situation report for cellular communications, allowing network operators, government agencies and information critical industries for the first time to detect and combat rogue base stations used for eavesdropping and fraudulent activities in real time.

Without dedicated detection and protection, the existing cellular infrastructure can no longer be trusted:

#### ► IMSI Catchers

IMSI catchers are being widely used by state and non-state actors as size, cost and procurement hurdles are continuously falling.

### Hostile Takeover of Baseband Processors

The air interface(s) of present-day smartphones, tablet computers and M2M devices can be exploited for grave attacks. Baseband processors are highly vulnerable and often not under control even of manufacturers. Depending on the device architecture the baseband controller can be memory master and springboard attacks on the application processor are possible and actively used. Further, baseband processors often control the audio path directly (room bugs) or would allow DoS attacks (phone not reachable).

### Cellular Jamming

Jamming of mobile frequencies (DoS) is either used to disable mobile connectivity or selectively forcing airband communication down to the less secure 2G network.

### GNSS Jamming and Spoofing

Jamming and spoofing is used to manipulate or disable global satellite based navigation systems to compromise location based services (Aviation, tracking, precison timing).

# **System Key Features**

- Comprehensive air interface data analysis and geo referencing (2G, 3G, 4G)
- Scalable system architecture
- Modular system architecture (fixed and mobile)
- Centralized management and data storage
- Graphical UI intuitive system handling
- Patented technology
- Unconspicious and ruggedized hardware

- Carrier grade SLA, CARE, incidents
- Compatible with operator redundancy requirements
- Seamless integration into other GSMK Network Security solutions (e.g. GSMK Oversight® SS7/Diameter detection and protection system)



### **Risk Assessment**

Hostile network scenarios have so far rarely been considered in risk modelling although they are an essential backbone for mission critical audio communications as well as for messaging and a growing number of M2M applications deployed in critical infrastructures.

#### The Solution

As a renowned industry leader in the field of secure communication systems and network security, GSMK developed the GSMK Overwatch system allowing the generation of a continuously updated national situation report by means of distributed detection and localization of rogue base stations, cellular jamming activities and GPS jamming and spoofing attacks.

### **System Design**

The Overwatch mobile network security system, building on a modular and scalable approach, consists of the Overwatch Manager, which constitutes the centralized backend providing data processing, data visualization, data storage and the map server for geo referencing as well as Overwatch Sensors for encrypted data collection. A high-performance industrial appliance allows easy integration in MNO infrastructure and existing maintenance agreements.

### **Overwatch Sensors**

Two types of sensors are available for modular state and nationwide deployments:

The latest generation Overwatch Sensor (2G, 3G, 4G) is based on a dedicated heavy-duty radio hardware, waterproof (IP67), ruggedized enclosure for out- and indoor installations and continuous surveillance tasks. Its design perfectly meets the requirements for fixed (rooftop, attic) installations even under harsh environmental conditions.

Mobile sensor arrays (GSMK Overwatch Tactical Sensor, Generation 2) for mobile on-demand monitoring of temporary hotspots in- or outdoor. The mobile sensors allow monitoring of 3 carriers in parallel and send measurements via 3G, LTE or LAN to the Overwatch backend.

# **Remote SIM**

All GSMK Overwatch sensors work together with the GSMK Remote SIM Appliance that enables up to 1152 SIM cards per system to be remotely and dynamically allocated to individual measurement tasks.

Both sensor types are protected against over the air attacks, using GSMK's cutting edge technology. Real-time reports are protected by strong encryption on their way from the sensors to the central analysis unit.

# **Analysis and Visualization**

As the sensors continuously provide raw data from the network down to a very low layer (up to 150 criteria), the system heuristics allow a comprehensive view on the air interface's consistency over time and with full geo referencing.

The browser-based visualization interface translates the findings into different levels of detail: general network status and warnings, suspicious trends/events/correlations up to real-time cell data and historic data for further variance analysis, as well as threat level based alarming (Email, SNMP or custom interfaces).

### **Report Generation and Localization**

In order to generate offical documents, the system allows an adaptable report generation including localization of threatening devices for further government action and initiation of other countermeasures.

### **Deployment**

GSMK supports its customers before, during and after deployment with an advanced requirement analysis, full deployment support, training, system swing-in calibration and tailor-made SLAs.

### **Lab Version**


Lab versions are available for testing and maintenance purposes.

### **Test Accounts**

For an individual system capability demonstration, please consult your local *Authorized GSMK Overwatch Reseller*, or get in contact with GSMK's network security systems team.


# **GSMK**

**System Architecture**The Overwatch "cellular network security system"



# Flexible integration into existing infrastructure

Ethernet, LTE, WiFi





# **Overwatch Manager User Interface**

Information Visualization and System Management


### **Overwatch Manager**

Full geographic referencing of live data.




# **Overwatch Manager**

Continuous measurement of cellular parameters and flexible threat level configuration.



# **Overwatch Manager**

Detailed and self-learning alerting with flexible interfaces to existing NOC applications



# **GSMK**

# **Overwatch Hardware**

Sensors and Management Platform

# **Overwatch Stationary Sensor**


Military-grade waterproof sensor platform for comprehensive and continuous detection in fixed or mobile installations.

For technical details, please refer to the GSMK Overwatch Hardware Manual.



### **Overwatch Mobile Sensor**

Military-grade tactical sensor system for on-demand monitoring of temporary hotspots. Plug-and-play deployment for continuous monitoring of 3 MNOs. Built-in high-precision GPS and LTE modem for encrypted data transmission to the Overwatch backend.



# **Overwatch Manager**

Backend system High-grade applicance, HP ProLiant, Gen10





# **Overwatch Hardware**

Sensors and Management Platform

### **Overwatch Remote SIM Server**

Flexible SIM to device allocation with the scalable GSMK Remote SIM system

The carrier-grade rack mountable server allows up to 1152 SIM cards to be remotely allocated to sensor systems deployed in the field.

For technical details, please refer to the GSMK Overwatch Remote SIM Manual.



GSMK - Gesellschaft für Sichere Mobile Kommunikation mbH Marienstrasse 11 10117 Berlin Germany

Phone +49-30-24 62 500-0 Telefax +49-30-24 62 500-1 www.gsmk.de

This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

The product names and logos mentioned in this document are trademarks or registered trademarks of their respective owners. © V2.0\_09.2018\_M

This document is GSMK Classified Information and not for general circulation.



Regional Representative / Distributor